

3874 PTUS.ST25
SEQUENCE LISTING

<110> SALIMBENI, Aldo et al
<120> Process for the preparation of bicyclic hexa-peptide nepadutant
<130> 3874PTUS
<140> PCT/EP2003/013696
<141> 2003-12-04
<150> FI2002A000239
<151> 2002-06-12
<160> 11
<170> PatentIn version 3.3
<210> 1
<211> 5
<212> PRT
<213> pentapeptide

<220>
<221> BINDING
<222> (1)..(1)
<223> Asp is bound to a benzyloxycarbonyl group

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> METHYLATION

<400> 1
Asp Trp Phe Xaa Leu
1 5

<210> 2
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> cyclic pentapeptide

<220>
<221> BINDING
<222> (1)..(1)
<223> Asp is bound to a benzyloxycarbonyl group

3874 PTUS.ST25

<220>
 <221> SITE
 <222> (1)..(4)
 <223> Asp and Dpr are bound together to form a cycle

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> METHYLATION

<400> 2

Asp Trp Phe Xaa Leu
 1 5

<210> 3
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> cyclic pentapeptide

<220>
 <221> BINDING
 <222> (1)..(1)
 <223> Asp is bound to a benzyloxycarbonyl group

<220>
 <221> SITE
 <222> (1)..(4)
 <223> Asp and Dpr are bound together to form a cycle

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<400> 3

Asp Trp Phe Xaa Leu
 1 5

<210> 4
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> cyclic hexapeptide

<220>
 <221> BINDING
 <222> (1)..(1)
 <223> Asp is bound to a benzyloxycarbonyl group and to a tert-butyl group

<220>
 <221> SITE
 <222> (2)..(5)
 <223> Asp and Dpr are bound together to form a cycle

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X is Dpr (i.e. 2,3-aminopropionic acid)

<400> 4

Asp Asp Trp Phe Xaa Leu
 1 5

<210> 5
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> bicyclic hexapeptide

<220>
 <221> SITE
 <222> (1)..(6)
 <223> Asp and Leu are bound together to form a cycle

<220>
 <221> BINDING
 <222> (1)..(1)
 <223> Asp is bound to a tert-butyl group

<220>
 <221> SITE
 <222> (2)..(4)
 <223> Asp and Dpr are bound together to form a cycle

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<400> 5

Asp Asp Trp Phe Xaa Leu
 1 5

<210> 6

<211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> bicyclic hexapeptide

<220>
 <221> SITE
 <222> (1)..(6)
 <223> Asp and Leu are bound together to form a cycle

<220>
 <221> SITE
 <222> (2)..(5)
 <223> Asp and Dpr are bound together to form a cycle

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<400> 6

Asp Asp Trp Phe Xaa Leu
 1 5

<210> 7
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> bicyclic glycopeptide

<220>
 <221> SITE
 <222> (1)..(6)
 <223> Asp and Leu are bound together to form a cycle

<220>
 <221> CARBOHYD
 <222> (1)..(1)
 <223> Asp is bound to
 2-acetamide-3,4,6-tri-O-acetyl-2-deoxy-beta-D-glucopyranosylamine

<220>
 <221> SITE
 <222> (2)..(5)
 <223> Asp and Dpr are bound together to form a cycle

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<400> 7

Asp Asp Trp Phe Xaa Leu
 1 5

<210> 8

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> bicyclic glycopeptide

<220>

<221> SITE

<222> (1)..(6)

<223> Asp and Leu are bound together to form a cycle

<220>

<221> CARBOHYD

<222> (1)..(1)

<223> Asp is bound to 2-acetamide-2-deoxy-beta-D-glucopyranosylamine

<220>

<221> SITE

<222> (2)..(5)

<223> Asp and Dpr are bound together to form a cycle

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<400> 8

Asp Asp Trp Phe Xaa Leu
 1 5

<210> 9

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> tetrapeptide

<220>

<221> BINDING

<222> (1)..(1)

<223> Trp is bound to a benzyloxycarbonyl group

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<220>
 <221> BINDING
 <222> (3)..(3)
 <223> Dpr is bound to a tert-butoxycarbonyl group

<220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> METHYLATION

<400> 9

Trp Phe Xaa Leu
 1

<210> 10
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> tetrapeptide

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<220>
 <221> BINDING
 <222> (3)..(3)
 <223> Dpr is bound to a tert-butoxycarbonyl group

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> METHYLATION

<400> 10

Trp Phe Xaa Leu
 1

<210> 11
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pentapeptide

<220>
 <221> BINDING
 <222> (1)..(1)

3874 PTUS.ST25

<223> Asp is bound to a tert-butoxy group and to a benzyloxycarbonyl group

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> X is Dpr (i.e. 2,3-diaminopropionic acid)

<220>

<221> BINDING

<222> (4)..(4)

<223> Dpr is bound to a tert-butoxycarbonyl group

<220>

<221> MOD_RES

<222> (4)..(4)

<223> METHYLATION

<400> 11

Asp Trp Phe Xaa Leu

1 5